





















- [20] Jenarathanan, M. P., Ramesh Kumar, S., & Jeyapaul, R. (2016). Modelling of machining force in end milling of GFRP composites using MRA and ANN. *Australian Journal of Mechanical Engineering*, 14(2), 104-114.
- [21] Hintze, W., Cordes, M., & Koerkel, G. (2015). Influence of weave structure on delamination when milling CFRP. *Journal of Materials Processing Technology*, 216, 199-205.
- [22] Islam, F., Ramkumar, J., & Milani, A. S. (2015). A simplified damage prediction framework for milling of unidirectional carbon fiber-reinforced plastics. *Advanced Manufacturing: Polymer & Composites Science*, 1(4), 175-184.
- [23] Ghafarizadeh, S., Lebrun, G., & Chatelain, J. F. (2016). Experimental investigation of the cutting temperature and surface quality during milling of unidirectional carbon fiber reinforced plastic. *Journal of Composite Materials*, 50(8), 1059-1071.
- [24] Ghafarizadeh, S., Chatelain, J. F., & Lebrun, G. (2016). Effect of cutting tool lead angle on machining forces and surface finish of CFRP laminates. *Science and Engineering of Composite Materials*, 23(5), 543-550.
- [25] Mathivanan, N. R., Mahesh, B. S., & Shetty, H. A. (2016). An experimental investigation on the process parameters influencing machining forces during milling of carbon and glass fiber laminates. *Measurement*, 91, 39-45.
- [26] Wang, H., Sun, J., Zhang, D., Guo, K., & Li, J. (2016). The effect of cutting temperature in milling of carbon fiber reinforced polymer composites. *Composites Part A: Applied Science and Manufacturing*, 91, 380-387.
- [27] Jia, Z., Su, Y., Niu, B., Bai, Y., & Bi, G. (2016). Deterioration of polycrystalline diamond tools in milling of carbon-fiber-reinforced plastic. *Journal of Composite Materials*, 0021998316669605.
- [28] Materiala, r. K. P. (2016). Investigation of the cutting forces and surface roughness in milling carbon-fiber-reinforced polymer composite material. *Materiali in tehnologije*, 50(4), 591-600.
- [29] Chibane, H., Serra, R., & Leroy, R. (2017). Optimal milling conditions of aeronautical composite material under temperature, forces and vibration parameters. *Journal of Composite Materials*, 0021998316687626.
- [30] Jamal, M. J., Ahmad, S. A. S., Mutalib, M. Z. A., & Karim, Z. (2013). Effect of Machining Parameters on Delamination During Milled Banana Fiber Reinforced Polyester Composites.
- [31] Sreenivasulu, R. (2014). Optimization of Machining Parameters during End Milling of GFRP Composites by Desirability Function Analysis using Taguchi Technique. In *5th International & 26th All India Manufacturing Technology, Design and Research Conference (AIMTDR 2014) December 12th-14th*.
- [32] Wang, H., Sun, J., Li, J., & Li, W. (2015). Roughness modelling analysis for milling of carbon fibre reinforced polymer composites. *Materials Technology*, 30(sup1), A46-A50.
- [33] Khairusshima, M. N., Aqella, A. N., & Sharifah, I. S. S. (2017). Optimization of Milling Carbon Fibre Reinforced Plastic Using RSM. *Procedia Engineering*, 184, 518-528.